


# LINEA 2000

---



2020

LINEA 2000




## EN

2020 is a compact folding arm awning on 40mm galvanized and painted square bar, belt arms with extruded aluminium arm bracket. The awning is modular and it can reach larger dimensions by adding more profiles. The front bar is interchangeable with those in the BAT catalogue. An extruded aluminium hood and a special bracket for under-roof mounting is available optionally.


## ES

2020 es un toldo con brazos extensibles sobre barra cuadrada de 40mm en acero galvanizado y lacado, brazos con cinta y soporte de brazo en extrusión de aluminio. Es un toldo modular: añadiendo más perfiles se puedes alcanzar una mayor longitud. El terminal frontal se puede cambiar con otros terminales BAT. Dispone de la opción de un pequeño tejadillo de aluminio extruido y de una abrazadera especial para el montaje bajotecho.




**Covering diagram - Wall/ceiling installation**

*Diagrama de proyección - Montaje a pared/techo*




**Wall installation**

*Montaje a pared*




**Ceiling installation**

*Montaje a techo*



**Installation with hood**

*Montaje con tejadillo*




**Crossed arms installation**

*Montaje con brazos cruzados*



## Square bar - Barra cuadrada



(foot-inch / cm)

Minimum awning width  
Tamaño mínimo del toldo

|  |              |              |              |              |               |
|--|--------------|--------------|--------------|--------------|---------------|
|  | 6'11"<br>210 | 8'6"<br>260  | 10'2"<br>310 | 11'9"<br>360 | 13'5"<br>410  |
|  | 8'6"<br>257  | 10'1"<br>307 | 11'9"<br>357 | 13'5"<br>407 | 14'12"<br>457 |
|  | 5'3"<br>158  | 6'1"<br>183  | 6'10"<br>208 | 7'8"<br>233  | 8'6"<br>258   |